

13. DISPOSAL CONSIDERATIONS

- Under "DUTY OF CARE" the disposal of unwanted stocks should be conducted in a safe and proper manner by authorised and consented methods
- Should spillage / Accidental release result this should be retained to prevent entry to storm water drainage system and disposed of by clause above

14. TRANSPORT INFORMATION

UN No. **1993**
 IMCO / IMDG Code No. **3345**
 Packaging Class **III**
 ICAO / IATA Class **3.3**
 Subsidiary Risk **Flash Point 37.8°C contains Isopropanol**

15. REGULATORY INFORMATION

- The Health and Safety Information on the label as required by Regulation 9 of CHIP is quoted under Section 3 Hazard Identification
- The relevant OES/MEL (if applicable) required by COSHH is stated in Section 3

IMPORTANT

- This S.D.S. contains all the necessary information to conduct a **COSHH ASSESSMENT**. This document in its own right does NOT constitute the users own assessment of workplace risk as required by Health and Safety Legislation - The Control of Substances Hazardous to Health Regulation

16. OTHER INFORMATION

PACKAGING AND CONTENTS

TYPE	<input checked="" type="checkbox"/> H.D.P.E. <input type="checkbox"/> P.V.C. <input type="checkbox"/> METAL <input type="checkbox"/> AEROSOL <input type="checkbox"/> CARDBOARD
UNIT OF SALE	<input type="checkbox"/> 1L <input type="checkbox"/> 2L <input type="checkbox"/> 5L <input type="checkbox"/> 20L <input type="checkbox"/> 750ml <input checked="" type="checkbox"/> 500ml <input type="checkbox"/> 400ml
WEIGHT (GROSS)	7 Kilogrammes approximate

TECHNICAL INFORMATION

A comprehensive Technical Information Sheet concerning recommended product usage and application is available upon request from our Sales Office.


TRAINING AND ADVICE

The Technical Staff in the Training and Advisory Centre can ensure that the correct equipment and methods are used and our consultants can provide on-site training and advice. Standard Two Day Training Courses are held regularly in Cheltenham and tailor-made courses can be arranged if necessary.

EMERGENCY TEL. N° 01242 537103/537177

DATE OF ISSUE	Issue 1	Dec 1994	DATE OF REVISION(S)		199
---------------	----------------	-----------------	---------------------	--	-----

The information given in this safety data sheet is given in good faith and to the best of our knowledge is correct. No liability is accepted for any loss or damage arising directly or indirectly from the use of the Company's products or from the use of the information given in this safety data sheet, in particular, financial or economic loss unless required by law.

 Premiere Products Oakley Gardens, Bouncers Lane, Cheltenham Gloucestershire, GL52 5JD Telephone: 01242 537150 Fax: 01242 528445 EMERGENCY TEL. No 01242 537103/537177	<h1>SAFETY DATA SHEET</h1> <h2>LIQUID SPRAY POLISH</h2>											
	ISSUE 1	REVISION 1										
1. IDENTIFICATION OF PREPARATION / TRADE NAME / PURPOSE												
PRODUCT	Liquid Spray Polish	CODE NUMBER 08020										
PURPOSE	Spray Polish For Furniture And Hard Surfaces											
2. COMPOSITION / INFORMATION ON INGREDIENTS												
COMPONENT(S)	% COMPOSITION PARAMETERS	C.A.S. NUMBER(S)										
Isopropyl Alcohol; Propan - 2 - ol White Spirit Mineral Oil Nonionic Surfactant Anionic Surfactant Perfume Water	5% but less than 15% Less than 5% Less than 5% 5% but less than 15% Less than 5% Present Present up to 100%	64742-82-1 67-63-0 No data offered No data offered No data offered No data offered										
EEC COMPOSITION REQUIREMENTS. CONTAINS AMONGST OTHER COMPONENTS-		% COMPOSITION PARAMETERS										
Aliphatic Hydrocarbons Anionic Surfactant Nonionic Surfactant Preservative		5% but less than 15% Less than 5% 5% but less than 15% Present										
3. HAZARDS IDENTIFICATION												
PRINCIPAL HAZARDS Solvent vapour/flammability. An aqueous/solvent flammable blend. Potential to degrease and irritate skin if in persistent and prolonged contact. Solvent classified as marine pollutant, moderately toxic to aquatic life.												
HAZARDOUS COMPONENT (S)	PRODUCT CLASSIFICATION	RISK AND SAFETY PHRASE REFERENCE NUMBERS										
Mixed solvent blend White spirit Isopropyl alcohol; Propan - 2 - ol	<table border="1"> <tr> <td>T</td> <td>C</td> <td>Xn</td> <td>Xi</td> <td>F</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> </table>	T	C	Xn	Xi	F					<input checked="" type="checkbox"/>	R 10
T	C	Xn	Xi	F								
				<input checked="" type="checkbox"/>								
	F	FLAMMABLE	S 2 S16 S23 S43 S51									
RISK PHRASES (R)		SAFETY PHRASES (S)										
<ul style="list-style-type: none"> Flammable (R10) 		<ul style="list-style-type: none"> Keep out of reach of children (S2) Keep away from sources of ignition - no smoking (S16) Do not breathe spray (S23) In case of fire use foam, carbon dioxide, dry chemical extinguishers. (S43) Use only in well ventilated areas (S51) 										
C.O.S.H.H. - CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH												
Does product contain an EH40 Regulated Substance Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If Yes continue												
DOES THE EH40 SUBSTANCE HAVE AN <input checked="" type="checkbox"/> OCCUPATIONAL EXPOSURE STANDARD OR <input type="checkbox"/> MAXIMUM EXPOSURE LIMIT?												
EH40 LISTED COMPONENT	L.T.E.L.	S.T.E.L.										
(I) White Spirit (II) Isopropanol	(I) 100/ (II) 400... ppm 8 Hour TWA (I) 575/ (II) 980... mg/m ³ 8 Hour TWA	125/ 500.... ppm 15 min TWA 720/ 1225... mg/m ³ 15 min TWA										

4. FIRST AID MEASURES - POSSIBLE HAZARD

(a) Skin	Wash with soap and water for 10-15 minutes. Do not use other solvents. Failure to react may cause drying.
(b) Eyes	If eye contact results irrigate immediately with an eyewash for 10-15 minutes and seek medical attention if irritation is apparent. Failure to react will cause irritant effects.
(c) Ingestion	If ingested DO NOT INDUCE vomiting due to risk of aspiration of solvent fumes. Keep at rest and obtain IMMEDIATE MEDICAL ATTENTION. Failure to react could result in dizziness, headache and anaesthesia.
(d) Inhalation	Remove the affected victim from exposure. Keep warm and at rest. Receive IMMEDIATE MEDICAL ATTENTION if severe.
(e) Medical Advice	Principal hazard is from solvent vapours. Treat other solids as secondary items. Urgent Professional Advice regarding First Aid may be obtained by contacting the National Poisons Information Service (NPIS) London where all products are registered
N.P.I.S. -	

5. FIRE FIGHTING MEASURES

IS THIS PRODUCT FLAMMABLE?

Yes	No
<input checked="" type="checkbox"/>	<input type="checkbox"/>

EXTINGUISHING MEDIA IN CASE OF FIRE

WATER	FOAM	CO ²	DRY CHEMICAL
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

 DO NOT USE WATER BASED EXTINGUISHERS FOR TACKLING SOLVENT BASED PRODUCT FIRES

FLASH POINT

ESTABLISHED USING THE ABEL CLOSED CUP METHOD (PETROLEUM ACT 1924)

37.8 °C

100 °F

— NOT FLAMMABLE

SPECIAL FIRE FIGHTING PROCEDURES AND PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS

- Protective orinasa masks must be worn
- Protective full face masks must be worn
- Protective oxygen supplied masks must be worn
- Full protective combative suits
- Other **Avoid the use of water. avoid spraying water onto fire**

UNUSUAL EXPLOSIVE HAZARDS

Liquid can release vapour that can readily form flammable mixture at temperatures at or above the flash point.

6. ACCIDENTAL RELEASE MEASURES

-
- Prevent from entering drains, surface and ground water. If such accidental release occurs contact Water Authority immediately and attempt to contain spill with absorbent and refer to Section 13 Disposal Considerations.

7. HANDLING AND STORAGE

- Handle in accordance with CHIP/COSHH requirements refer Sections 3/8. Avoid contact with skin and eyes
- Storage at ambient temperature preferable though not essential
- Storage at ambient temperature essential
- Avoid extremes of temperature - Heat

7. HANDLING AND STORAGE (continued)

-
- STORAGE SHELF LIFE - The
- MINIMUM**
- storage of unopened sealed containers is 12 months unless otherwise specified in the box

— MONTHS

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

As disclosed in Section 3 COSHH if product contains an EH40 listed component preventative methods *MUST be employed to prevent atmospheric levels exceeding the listed Occupational Exposure Standard (O.E.S.) Maximum Exposure Limit (M.E.L.). Alternatively suitable protective clothing must be worn if these levels are exceeded as recommended below

*PREVENTATIVE METHODS BEING SUITABLE EXTRACTION/VENTILATION ETC.

- | | |
|--|--|
| <input checked="" type="checkbox"/> EYE PROTECTION | TYPE - Goggles or safety glasses with side protection (only specified when decanting bulk (ie) topping up triggers) |
| <input checked="" type="checkbox"/> HAND PROTECTION | TYPE - Neoprene, nitrile, viton, polyurethane gloves (only specified when decanting bulk (ie) topping up triggers) |
| <input checked="" type="checkbox"/> SKIN PROTECTION | TYPE - Protective overalls |
| <input checked="" type="checkbox"/> RESPIRATORY PROTECTION | TYPE - If vapours exceed EH40 OES/MEL (above) use cartridge respirators conforming to BS4275 |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|--|---|
| (a) Appearance and odour | White emulsion / Solvent |
| (b) Specific Gravity (Density) @ 20°C Typical Analysis | 0.980 |
| (c) Solubility in water | YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> |
| (d) pH @ 20°C Typical Analysis | 6.0 |
| (e) % Non Volatiles Typical Analysis / % Actives | 14.0% refractometer |
| (f) Boiling Point | Approx 100°C |
| (g) Viscosity (Brookfield) @ 20°C Typical Analysis / F.C.4 | <10 cps/centipoise |
| (h) Flammable | >37.8°C Flash Point |

10. STABILITY AND REACTIVITY

- Stable if stored at ambient temperature in sealed containers
- Unstable at room temperature
- Reactive with
- Unreactive
- Avoid contact with **Strong oxidizing agents / high temperature sparks or flames**

11. TOXICOLOGICAL INFORMATION

It is not the policy of Premiere Products to conduct animal tests. The following toxicological data therefore applies to the individual, neat, raw material or component chemical used within the finished preparation.

COMPONENT(S)	White Spirit	LD50	No Data Offered	SOURCE	—
--------------	---------------------	------	------------------------	--------	----------

12. ECOLOGICAL INFORMATION

In line with the company's Green Policy statement, care for the environment has been taken into consideration in formulating this product, wherever possible minimising the effects on the environment.

- | | |
|---|--|
| <input type="checkbox"/> Contains surfactants | <input type="checkbox"/> Surfactants are biodegradable in accordance with EEC requirements |
| <input checked="" type="checkbox"/> Contains solvents | <input type="checkbox"/> Solvents are biodegradable in accordance with EEC requirements |