



Premclean industrial Man. Ltd
P.O.Box 54901
3729 Lemesos
Tel. 25343160

SAFETY DATA SHEET

ISSUE 2 REVISION 1 APRIL 2007

1. IDENTIFICATION OF PREPARATION / TRADE NAME / PURPOSE
 PRODUCT **Stainless Steel Polish** CODE NUMBER **112008**
 PURPOSE **Polisher for Stainless Steel surfaces**

COMPONENT(S)	% COMPOSITION PARAMETERS	C.A.S. NUMBER(S)
Kerosene	40%	Not available
Paraffin oil	40%	Not available
Silicone oil	20%	63148-62-9

EEC COMPOSITION REQUIREMENTS	% COMPOSITION PARAMETERS
Contains among other components	
Solvents	About 40%

3. HAZARD IDENTIFICATION
 PRINSIPAL HAZARDS
 This product is not classified dangerous in accordance with the Chemical (Hazard Information and Packaging) regulations 1994. However as with all industrial and institutional chemical products and in compliance with the control of substances hazardous to health regulations Good Housekeeping should prevail with regard to section 4-16 inclusive concerning Handling, Storage, First Aid, Disposal etc. Some Risk and Safety Phrases of the Raw materials used are

C.O.S.H.H. - CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH

4. FIRST AID MEASURES - POSSIBLE HAZARD

(a) Skin	Wash off with soap and water
(b) Eyes	Rinse with plenty of water
(c) Ingestion	Drink plenty of water. Do not induce vomiting. Obtain medical attention.
(d) Inhalation	
(e) Medical Advice	No hazard which require special first aid measures Urgent professional advise regarding First Aid may be obtained by calling 199

5. FIRE FIGHTING MEASURES

IS THIS PRODUCT FLAMABLE ?	YES	NO
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

EXTINGUISHING MEDIA IN CASE OF FIRE

WATER	FOAM	CO ²	DRY CHEMICAL
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Further information: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

11.a TOXICOLOGICAL INFORMATION

Skin irritation: **Frequent or prolonged may irritate the skin**
 Eye irritation: **Does not injure eye tissue**

6. ACCIDENTAL RELEASE MEASURES

Prevent from entering drains, surface and ground water. If such accidental release occurs contact Water Authority immediately and attempt to contain spill with absorbent and refer to Section 13 Disposal Considerations.

7. HANDLING AND STORAGE

Handle in accordance with CHIP/COSHH requirements refer Sections 3/8
 Storage at at cool and dry place
 Storage at ambient temperature essential
 Avoid extremes of temperature - Frost/Heat
 STORAGE SHELF LIFE - The **MINIMUM** storage of unopened sealed containers is 12 months unless otherwise specified in the box

